



PEICAI SECONDARY SCHOOL
SECONDARY 4 EXPRESS
PRELIMINARY EXAMINATION 2021

CANDIDATE
NAME

--

CLASS

--	--	--

REGISTER NUMBER

--	--

ADDITIONAL MATHEMATICS

Paper 2

4049/02

27 August 2021

2 hours 15 minutes

Candidates answer on the Question Paper.
No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your register number, class and name in the spaces at the top of this page.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer **all** the questions.

Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place in the case of angles in degrees, unless a different level of accuracy is specified in the question.

The use of an approved scientific calculator is expected, where appropriate.

You are reminded of the need for clear presentation in your answers.

The number of marks is given in brackets [] at the end of each question or part question.

The total number of marks for this paper is 90.

This document consists of **20** printed pages.

Setter: Mrs Ho Thuk Lan

[Turn over

Mathematical Formulae**1. ALGEBRA***Quadratic Equation*

For the quadratic equation $ax^2 + bx + c = 0$,

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

Binomial expansion

$$(a+b)^n = a^n + \binom{n}{1}a^{n-1}b + \binom{n}{2}a^{n-2}b^2 + \dots + \binom{n}{r}a^{n-r}b^r + \dots + b^n,$$

$$\binom{n}{r} = \frac{n!}{r!(n-r)!} = \frac{n(n-1)\dots(n-r+1)}{r!}$$

where n is a positive integer and

2. TRIGONOMETRY*Identities*

$$\sin^2 A + \cos^2 A = 1$$

$$\sec^2 A = 1 + \tan^2 A$$

$$\operatorname{cosec}^2 A = 1 + \cot^2 A$$

$$\sin(A \pm B) = \sin A \cos B \pm \cos A \sin B$$

$$\cos(A \pm B) = \cos A \cos B \mp \sin A \sin B$$

$$\tan(A \pm B) = \frac{\tan A \pm \tan B}{1 \mp \tan A \tan B}$$

$$\sin 2A = 2 \sin A \cos A$$

$$\cos 2A = \cos^2 A - \sin^2 A = 2 \cos^2 A - 1 = 1 - 2 \sin^2 A$$

$$\tan 2A = \frac{2 \tan A}{1 - \tan^2 A}$$

Formulae for $\triangle ABC$


$$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$

$$a^2 = b^2 + c^2 - 2bc \cos A$$

$$\Delta = \frac{1}{2}ab \sin C$$

- 1 Solve the equation $2 \cos 2x = 3 - 5 \sin x$ for $0 \leq x \leq \pi$. [5]

2



The diagram shows two circles C_1 and C_2 with centres P and Q respectively. Both circles C_1 and C_2 are tangent to the x -axis at $R(1.5, 0)$. The radius of C_1 is 6 units.

(i) Find the coordinates of the centre, P of circle C_1 . [1]

(ii) Find the equation of the circle C_2 . [1]

- (iii) Given that the area of C_1 is 18 times the area of C_2 , find the coordinates of the centre, Q of C_2 . [3]

- 3** **(i)** Using $\sin 3x = \sin(2x + x)$, show that $\sin 3x = 3\sin x - 4\sin^3 x$. [3]

(ii) State the amplitude and period of $y = 6\sin x - 8\sin^3 x$. [2]

(iii) Sketch the graph of $y = 6\sin x - 8\sin^3 x$ for $0^\circ \leq x \leq 360^\circ$. [3]


- 4 A glass of hot water was left to cool in the fridge. The temperature, T °C, of the water decreases with time, t minutes. The table shows the measured values of T and t .

t (min)	10	20	30	40	50
T (°C)	60	37	23	14	9

It is known that t and T are related by the equation $T = ae^{-kt}$ where a and k are constants.

- (i) Explain clearly how a and k can be calculated when a graph of $\ln T$ against t is drawn. [2]

- (ii) On the grid below, plot $\ln T$ against t for the given data and draw a straight line graph. [2]



Use your graph to estimate

(iii) the value of a and of k .

[3]

(iv) the temperature of the water at the beginning of the experiment.


[1]

-
- 5** A bus travelling on a straight road passes a traffic light at junction P with speed 11 m/s and, 2 minutes later, passes another traffic light at junction Q with speed 21 m/s. During the journey from P to Q , the acceleration, $a = kt - 2 \text{ m/s}^2$, where k is a constant and t seconds is the time after passing P .

(i) Show that $k = \frac{5}{144}$. [5]

(ii) Find the distance between P and Q . [4]

6



The diagram shows a circle passing through the points A , B and C . The point B lies on the line SC . ST is a tangent to the circle at A . The points E and F lie on AB and AC respectively. Given that EF is parallel to ST , show that $BCFE$ is a cyclic quadrilateral.

[5]

7 The equation of a polynomial is given by $f(x)=3x^3+5x^2+7x-3$.


(i) Find the remainder when $f(x)$ is divided by $x + 1$. [1]

(ii) Show that $3x - 1$ is a factor of $f(x)$. [1]

(iii) Show that the equation $f(x) = 0$ has only one real root. [4]

- (iv) Use your answers to parts (ii) and (iii) to solve the equation
- $$\frac{3}{2}(2^{3y+1}) + 5(2^{2y}) + 7(2^y) = 3$$
- [4]

8



A contractor was given 240m of fencing for a playground, He designed the playground $ABCDEF$ consisting of a rectangle $ABCF$ and an isosceles trapezium $CDEF$. Given that $AB = 12$ m, $DE = 6$ m, $CD = EF = 5x$ m and $BC = y$ m.

- (i) The contractor used 240 m of fencing to enclose the playground.
Express y in terms of x .

[1]


- (ii) Show that the enclosed area, $A \text{ m}^2$, of the playground is given by
 $\text{Area} = 1332 - 60x + 9\sqrt{25x^2 - 9}$.

[2]

(iii) Given that x can vary, find the stationary value of A . [4]

(iv) Find the nature of this stationary value. Would the contractor be happy or disappointed with the design of his playground? [3]

9



The diagram shows three fixed points O , C and D such that $OD = 31$ cm, $CD = 17$ cm and angle $ODC = 90^\circ$. The lines OA and BC are perpendicular to the line BD which makes an angle λ with the line CD . The angle λ can vary in such a way that the point A lies between the points B and D .

- (i) Show that $OA + AB + BC = 48 \cos \lambda - 14 \sin \lambda$. [3]

- (ii) Express $OA + AB + BC$ in the form $R \cos(\lambda + \alpha)$, where $R > 0$ and $0^\circ < \alpha < 90^\circ$. [3]

- (iii) Find the values of λ for which $OA + AB + BC = 30$. [4]

10 The equation of a curve is $y = x \sin x$.


(i) Find an expression for $\frac{dy}{dx}$. [2]

(ii) Hence find $\int x \cos x \, dx$. [2]

- (iii) Find an expression for $\frac{d}{dx}(x^2 \cos x)$. [2]

- (iv) Using the result found in part (ii) and part (iii), find $\int x^2 \sin x \, dx$. [4]

11



The diagram shows part of the curve $y = x^2 - x + h$ and the line $y = 4 - 2x$. The line $y = 4 - 2x$ intersects the x axis and the y axis at P and Q respectively. Given that R is the point of intersection of the line $y = 4 - 2x$ and the curve $y = x^2 - x + h$ and that R is the midpoint of PQ , find

(i) the coordinates of R , [3]

(ii) the value of h , [1]

(iii) the area of the shaded region. [6]
