


DARRELL ER (COPYRIGHTED)



The image features a complex chemical structure of an alkaloid, likely a tropane derivative, rendered in a light purple color. The structure consists of a tropane ring system (8-azabicyclo[3.2.1]octane) with a methyl group on the nitrogen. This is linked via a carbonyl group to a piperidine ring, which also has a methyl group on its nitrogen. The tropane ring has a methyl group on the nitrogen and a hydrogen atom on the adjacent carbon. The piperidine ring has a hydrogen atom on the carbon adjacent to the nitrogen. The tropane ring is further substituted with a methyl group and a hydrogen atom on the carbon adjacent to the nitrogen. The piperidine ring is also substituted with a methyl group and a hydrogen atom on the carbon adjacent to the nitrogen. The tropane ring is further substituted with a methyl group and a hydrogen atom on the carbon adjacent to the nitrogen. The piperidine ring is also substituted with a methyl group and a hydrogen atom on the carbon adjacent to the nitrogen.

TOPIC 1.1: EXPERIMENTAL DESIGN

THE ABOUT

CHAPTER ANALYSIS



TIME

- Straight forward chapter
- 1 **key** concept



EXAM

- Usually tested only in MCQ
- Useful knowledge for Practical Test




WEIGHTAGE

- Light overall weightage
- Constitute to **0.5%** of marks for past 5 year papers

KEY CONCEPT

EXPERIMENTAL DESIGN APPARATUS FOR MEASUREMENT GAS COLLECTION




MUST KNOW

APPARATUS FOR MEASUREMENT

Apparatus	Smallest division	Uncertainty (1/2 of smallest division)	Example of value
Burette	0.1 cm ³	0.05 cm ³	27.00 cm ³ 28.85 cm ³
Pipette	fixed	fixed	25.0 cm ³ (fixed value)
Measuring cylinder	1 cm ³	0.5 cm ³	16.0 cm ³ 17.5 cm ³
Digital stopwatch	0.01 s	0.01 s	26.46 s 1.5 mins
Thermometer	1 °C	0.5 °C	21.0 °C 46.5 °C
Electronic balance	0.01 g	0.01 g	4.53 g

KEY CONCEPT

DISPLACEMENT OF WATER




This method for collecting **gases which are insoluble or slightly soluble in water.**

As the gases does not dissolve in water, they would rise to the top of the gas jar.

Some examples of gases collected via this method includes **H₂, O₂, CO and CO₂.**

KEY CONCEPT

UPWARDS DELIVERY




This method is used to collect gases which have a **lighter density as compared to air***.

NH₃ & **H₂** are gases which can be collected using this method.

* *Mr of air is around **28.8**. (78% **N₂** + 21% **O₂**)*

KEY CONCEPT

DOWNWARDS DELIVERY



This method is used to collect gases which have a **heavier density as compared to air***.

Some examples of gases collected using this method includes **Cl_2 , HCl and SO_2** .


* *Mr of air is around **28.8**. (78% N_2 + 21% O_2)*

KEY CONCEPT


DRYING OF GAS

To dry a sample of gas, we can pass it through drying agents like:


- **concentrated sulfuric acid**
- **quicklime (calcium oxide)**
- **fused calcium chloride** (calcium chloride)



Using concentrated sulphuric acid to dry most gases including chlorine and hydrogen chloride



Quicklime is used in drying ammonia



Fused calcium chloride can also be used to dry most of the gases

ADVANCED

things to note

For drying of gas, which set up to use depends on the nature of the gas. (acidic or alkaline)

Using a **wrong set up will cause the gas to neutralise with the drying agent instead.**

To know whether the gas is acidic or alkaline, refer to chapter 7.1 'Acid & Bases'

Concentrated sulfuric acid

This set up is used **to dry acidic gas** only. (chlorine / hydrogen chloride gas/ carbon dioxide / sulfur dioxide)

Quicklime (Calcium Oxide)





This set up is used to **dry alkaline gas** only. (Ammonia)

Fused Calcium Chloride

Best choice as it can **dry most gases** since its neutral!

Try it yourself! (TYS Question)

6. A gas turns moist red litmus paper blue, is soluble in water and is less dense than air. Which diagram shows a correct way of drying and collecting the gas? (N2019/P1/Q1)



Answer:

6. **A**
Use a basic/neutral drying agent so that the alkaline gas will not react with the drying agent. Collect the gas using upward delivery since it is less dense than air.

Try it yourself! (TYS Question)

7. When an excess of dilute acid is added to a known quantity of sodium carbonate, the temperature of the mixture changes.

An experiment is designed to measure the temperature change when all the carbonate reacts with the acid.

In addition to a thermometer and measuring cylinder, the following pieces of apparatus are available.

- 1 gas syringe
- 2 stopwatch
- 3 balance
- 4 Styrofoam cup

Which pieces of apparatus are needed for this experiment?

(N2020/P1/Q1)

- A 1, 2, 3 and 4
C 2, 3 and 4 only

- B 1 and 2 only
D 3 and 4 only

()

Answer:

7. **D**
The use of a balance is necessary to determine if all the carbonate has reacted with the acid. A Styrofoam beaker is needed to minimise the heat loss to the surroundings since this is an experiment which measures temperature change.

About Us

OVERMUGGED is a learning platform created by tutors, for students.

Our team of specialist tutors offer 1-to-1 private tuition, group tuitions and crash courses.

Follow us on [IG](#) and join our [Telegram channel](#) to get the latest updates on our free online revision sessions, webinars and giveaways!

If you would want to join Darrell's group tuition, contact him at:

Whatsapp: [8777 0921](#)

Telegram: [@DarrellEr](#)

Website: <https://www.overmugged.com/darrell>

For more free notes & learning materials, visit: www.overmugged.com

Notes prepared by:



Darrell Er
'O' Levels Chemistry & Physics



OVERMUGGED's Curated Notes

Found the free notes useful? We got something better!

OVERMUGGED's curated notes is a **highly condensed booklet** that **covers all content within the MOE syllabus**.

This booklet consist of **key concept breakdowns**, **worked examples** and **exam tips/ techniques** to required to ace your exams.

Get an **upgraded version** of the free notes and supercharge your revision!

Purchase [here](#).



Crash courses

Check out our upcoming crash courses at:
<https://www.overmugged.com/crashcourses>

'O' levels subject available:

- Pure Chemistry
- Pure Physics
- Pure Biology
- Combined Science
- E-Math
- A-Math
- English
- History
- Geography
- Combined Humanities
- Principles of Accounts (POA)