#### Page 8 of 11

	Class	Index Number
Name :		

- 3 Read all the instructions carefully before starting the experiments in Question 3.
  - (a) You are provided with two samples of **R** and a sample of solution **S**.

Carry out the following tests and record your observations in the table. You should test and name any gas evolved.

Test No.	Test	Observations
1	Remove the stopper from a sample of <b>R</b> in a test-tube. Heat the solid in the test-tube gently at first and then strongly. Leave it to cool. You do not need to test for any gas evolved.	
2	Transfer the other provided sample of solid <b>R</b> to a boiling tube. Carefully add hydrochloric acid to a depth of approximately 5 cm. Test any gases given off. Keep this solution for Test 3 and 4.	
3	Add 1 cm depth of the solution from Test 2 into a test-tube. Add aqueous sodium hydroxide slowly with shaking until no further change is seen.	
4	Add 1 cm depth of the solution from Test 2 into a test-tube. Add aqueous ammonia slowly with shaking until no further change is seen.	
5	To 1 cm depth of <b>S</b> in a test-tube, add aqueous sodium hydroxide until no further change is seen. Allow the final mixture to stand for a few minutes.	

# Page 9 of 11

6	(a)	To 1 cm depth of <b>S</b> in a test-tube, add an equal volume of aqueous hydrogen peroxide.	
	(b)	Pour the mixture from (a) into a boiling tube and then add aqueous sodium hydroxide.	
7	(a)	To 1 cm depth of <b>S</b> in a test-tube, add an equal volume of aqueous barium nitrate.	
	(b)	Add dilute nitric acid to the mixture from (a).	
8	man	1 cm depth of acidified potassium ganate (VII) in test-tube, add an al volume of <b>S</b> .	
	•		[12]
(	b)	State the formula of solid <b>R</b> .	
,	,		[1]
	•		1.1
(	c)	Deduce the role of <b>S</b> in Test <b>8</b> .	
		Use your observations to explain	now you have reached this conclusion.
			[2]

[Total: 15]

The Periodic Table of Elements

	18	2	He	helium	4	10	Ne	neon	50	18	Ā	argon 40	36	궃	krypton	84	54	×	xenon	131	98	찜	radon	ı	118	Og	oganesson	ı
	17					6	ш	fluorine	19	17	Cl	chlorine 35.5	35	й	bromine	80	53	Ι	iodine	127	82	Αŧ	astatine	I	117	Ls	tennessine	ı
	16					80	0	oxygen	16	16	တ	sulfur 32	34	Se	selenium	26	52	Te	tellurium	128	84	Ъ	polonium	I	116	_	livermorium	I
	15					7	z	nitrogen	14	15	₾	phosphorus 31	33	As	arsenic	75	51	Sb	antimony	122	83	Ξ	bismuth	209	115	Mc	moscovium	ı
	14					9	ပ	carbon	12	14	S	silicon 28	32	Ge	germanium	73	20	S	ţi	119	82	Ъ	lead	207	114	ŀΙ	flerovium	I
	13					2	В	boron	11	13	ΝI	aluminium 27	31	Ga	gallium	20	49	I	indium	115	81	11	thallium	204	113	된	nihonium	ı
												12							_							ပ်	Q	ı
												1	29	Cn	copper	64	47	Ag	silver	108	6/	Αn	plog	197	111	Rg	roentgenium	ı
Group												10	28	Ni	nickel	29	46	Pd	palladium	106	78	చ	platinum	195	110	Ds	darmstadtium	ı
Gro												0	27	ပိ	cobalt	26	45	格	rhodium	103	77	ı	iridium	192	109	¥	meitnerium	ı
		-	I	hydrogen	-							80	26	Fe	iron	26	44	R	ruthenium	101	9/	Os	osmium	190	108	Ŧ	hassium	ı
												7	25	Mn	manganese	55	43	ည	technetium	I	75	Re	rhenium	186	107	В	bohrium	ı
						umber	00		nass			9	24	ပ်	chromium	52	42	Mo	molybdenum	96	74	≶	tungsten	184	106	Sg	seaborgium	ı
					Key	proton (atomic) number	omic symk	name	ve atomic r			2												181		В		ı
						proton	atc	-	relati			4	22	F	titanium	48	40	Zr	zirconium	91	72	Ξ	hafnium	178	104	꿆	rutherfordium	I
												က	21	Sc	scandium	45	39	>	yttrium	89	57-71	lanthanoids			89-103	actinoids		
	2					4	Be	beryllium	ၵ	12	Mg	magnesium 24	20	Ca	calcium	40	38	လွ	strontium	88	26	Ba	barium	137	88	Ra	radium	ı
	<b>~</b>					က	:=	lithium	,	1	Na	sodium 23	19	¥	potassium	39	37	В	rubidium	82	22	S	caesium	133	87	<u>ٿ</u>	francium	I

		_				Ē			
71	3	lutetium	175	103	۲	lawrenciu	ı		
70	Υp	ytterbium	173	102	8	nobelium	1		
69	Ę	thulium	169	101	Md	mendelevium	1		
89	ங்	erbium	167	100	FB	fermium	1		
29	운	holmium	165	66	Es	einsteinium	1		
99	ò	dysprosium	163	86	ర	californium	1		
92	Tp	terbium	159	26	ă	berkelium	1		
64	<del>g</del> g	gadolinium	157	96	C	curium	1		
63	En	europium	152	92	Am	americium	1		
62	Sm	samarium	150	94	Pu	plutonium	ı		
61	Pm	promethium	1	93	ď	neptunium	1		
09	PN	neodymium	144	92	⊃	uranium	238		
59	Ā	praseodymium	141	91	Ра	protactinium	231		
28	S	cerium	140	06	드	thorium	232		
57	Га	La lanthanum 139 89 Ac actinium							
	anthanoide				actinoide				

The volume of one mole of any gas is 24 dm $^3$  at room temperature and pressure (r.t.p.).

## Page 11 of 11

## **QUALITATIVE ANALYSIS NOTES**

#### **Test for anions**

anion	test	test result
carbonate (CO <sub>3</sub> <sup>2</sup> -)	add dilute acid	effervescence, carbon dioxide produced
chloride (C/r)	acidify with dilute nitric acid, then add	white ppt.
[in solution]	aqueous silver nitrate	
iodide (I <sup>-</sup> )	acidify with dilute nitric acid, then add	yellow ppt.
[in solution]	aqueous silver nitrate	
nitrate (NO <sub>3</sub> -)	add aqueous sodium hydroxide, then	ammonia produced
[in solution]	aluminium foil; warm carefully	
sulfate (SO <sub>4</sub> <sup>2</sup> -)	acidify with dilute nitric acid, then add	white ppt.
[in solution]	aqueous barium nitrate	

## Test for aqueous cations

cation	effect of aqueous sodium hydroxide	effect of aqueous ammonia						
aluminium (Al <sup>3+</sup> )	white ppt., soluble in excess giving a colourless solution	white ppt., insoluble in excess						
ammonium (NH <sub>4</sub> <sup>+</sup> )	ammonia produced on warming	-						
calcium (Ca <sup>2+</sup> )	white ppt., insoluble in excess	no ppt.						
copper(II) (Cu <sup>2+</sup> )	light blue ppt., insoluble in excess	light blue ppt., soluble in excess giving a dark blue solution						
iron(II) (Fe <sup>2+</sup> )	green ppt., insoluble in excess	green ppt., insoluble in excess						
iron(III) (Fe <sup>3+</sup> )	red-brown ppt., insoluble in excess	red-brown ppt., insoluble in excess						
zinc (Zn <sup>2+</sup> )	white ppt., soluble in excess giving a colourless solution	white ppt., soluble in excess giving a colourless solution						

## **Test for gases**

gas	test and test result
ammonia (NH <sub>3</sub> )	turns damp red litmus paper blue
carbon dioxide (CO <sub>2</sub> )	gives white ppt. with limewater (ppt. dissolves with excess CO <sub>2</sub> )
chlorine (Cl <sub>2</sub> )	bleaches damp litmus paper
hydrogen (H <sub>2</sub> )	"pops" with a lighted splint
oxygen (O <sub>2</sub> )	relights a glowing splint
sulfur dioxide (SO <sub>2</sub> )	turns aqueous acidified potassium manganate(VII) from purple to colourless